SAFETY DATA SHEET

PURUS PRO BIO630 ANTIBACTERIAL HAND WASH

Section 1: Identification of the			
1.1. Product identifier			
Product name:	Purus Pro - Bio630 - Anti-Bac Hand Wash		
	PPBI0014/ PPBI0013		
	of the substance or mixture and uses advised against		
Use of substance / mixture:	PC8: Biocidal products (e.g. Disinfectants, pest control). For cleaning and sanitising		
	hands.		
1.3. Details of the supplier of	f the safety data sheet		
Company name:			
Chespack Hygiene			
Crows Nest Business			
CH3 9BD	enhall Chester Cheshire		
United Kingdom			
Tel: +44 (0) 1829 77	3015		
Fax: +44 (0)1829 77	3031		
Email: sales@chesn	ackhygiene com		
Email: sales@chesp	ackhygiene.com		
Email: sales@chesp			
	umber		
1.4. Emergency telephone nu Emergency Tel: +44 (0)1829 7	umber 73015 (office hours only)		
1.4. Emergency telephone n	umber 73015 (office hours only)		
1.4. Emergency telephone nu Emergency Tel: +44 (0)1829 7	umber 73015 (office hours only)		
1.4. Emergency telephone no Emergency Tel: +44 (0)1829 7 ection 2: Hazards identification 2.1. Classification of the subs	T3015 (office hours only) tance or mixture		
1.4. Emergency telephone n Emergency Tel: +44 (0)1829 7 ection 2: Hazards identification	T3015 (office hours only) tance or mixture		
1.4. Emergency telephone no Emergency Tel: +44 (0)1829 7 ection 2: Hazards identification 2.1. Classification of the subs Classification under CHIP	umber 73015 (office hours only) tance or mixture : R52-: /53		
1.4. Emergency telephone m Emergency Tel: +44 (0)1829 7 ection 2: Hazards identification 2.1. Classification of the subs Classification under CHIP Classification under CLP:	umber 73015 (office hours only) tance or mixture : R52-: /53 Aquatic Chronic 3: H412		
1.4. Emergency telephone no Emergency Tel: +44 (0)1829 7 ection 2: Hazards identification 2.1. Classification of the subs Classification under CHIP	umber 73015 (office hours only) tance or mixture : R52-: /53 Aquatic Chronic 3: H412 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic		
1.4. Emergency telephone m Emergency Tel: +44 (0)1829 7 ection 2: Hazards identification 2.1. Classification of the subs Classification under CHIP Classification under CLP:	umber 73015 (office hours only) tance or mixture : R52-: /53 Aquatic Chronic 3: H412		
1.4. Emergency telephone no Emergency Tel: +44 (0)1829 7 ection 2: Hazards identification 2.1. Classification of the subs Classification under CHIP Classification under CLP: Most important adverse effects:	umber 73015 (office hours only) tance or mixture : R52-: /53 Aquatic Chronic 3: H412 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic		
1.4. Emergency telephone no Emergency Tel: +44 (0)1829 7 ection 2: Hazards identification 2.1. Classification of the subs Classification under CHIP Classification under CLP: Most important adverse effects:	umber 73015 (office hours only) tance or mixture : R52-: /53 Aquatic Chronic 3: H412 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.		
1.4. Emergency telephone m Emergency Tel: +44 (0)1829 7 ection 2: Hazards identification 2.1. Classification of the subs Classification under CHIP Classification under CLP: Most important adverse effects: 2.2. Label elements	umber 73015 (office hours only) tance or mixture : R52-: /53 Aquatic Chronic 3: H412 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.		
1.4. Emergency telephone m Emergency Tel: +44 (0)1829 7 ection 2: Hazards identification 2.1. Classification of the subs Classification under CHIP Classification under CLP: Most important adverse effects: 2.2. Label elements Label elements under CLP	umber 73015 (office hours only) tance or mixture : R52-: /53 Aquatic Chronic 3: H412 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.		
1.4. Emergency telephone million Emergency Tel: +44 (0)1829 7 ection 2: Hazards identification 2.1. Classification of the subs Classification under CHIP Classification under CLP: Most important adverse effects: 2.2. Label elements Label elements under CLP Hazard statements:	Jumber 73015 (office hours only) tance or mixture tance or mixture : R52-: /53 Aquatic Chronic 3: H412 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment. : H412: Harmful to aquatic life with long lasting effects. P273: Avoid release to the environment.		

Risk phrases: R52/53: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Non-hazardous ingredients:

POLYETHYLENE GLYCOL

EINECS	CAS	CHIP Classification	CLP Classification	Percent
-	25322-68-3	-	-	<5%

POLYHEXAMETHYLENE BIGUANIDE

-	27083-27-8	Xn: R22; Xi: R36/38; Xi: R41;	Skin Irrit. 2: H315; Eye Irrit. 2:	<5%
		N: R50/53	H319; Aquatic Chronic 1: H410;	
			Aquatic Chronic 3: H412	

AMIDES, C8-C18(EVEN NUMBERED) AND C18(UNSATD.), N,N-BIS(HYDROXYETHYL)

931-329-6 - Xi: R36/38 Skin Irrit. 2: H315; Eye Irrit. 2: H319 <5%

C9-11 ALCOHOL ETHOXYLATE WITH 6.5MEO

- 68439-46-3 Xi: R41; Xn: R22 Acute Tox. 4: H302; Eye Dam. 1: H318	<5%	
--------------------------------------------------------------------	-----	--

DIDECYLDIMETHYLAMMONIUM CHLORIDE

230-525-2	7173-51-5	Xn: R22; C: R34	Acute Tox. 4: H302; Skin Corr. 1B:	<5%
			H314	

QUATERNARY AMMONIUM COMPOUNDS, BENZYL-C12-14 (EVEN-NUMBERED)-ALKYLDIMETHYL, CHLORIDES

939-350-2	-	-: R10; Xn: R22; C: R34; N: R50	Skin Corr. 1B: H314; Aquatic Chronic	<5%
			1: H410; Flam. Liq. 3: H226; Acute	
			Tox. 4: H302	

Section 4: First aid measures

4.1. Description of first aid measures

Skin contact: Not applicable.

Eye contact: Bathe the eye with running water for 15 minutes.

Ingestion: Wash out mouth with water.

Inhalation: Not applicable.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: No symptoms.

Eye contact: There may be irritation and redness.

Ingestion: There may be irritation of the throat.

Inhalation: No symptoms.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Not applicable.

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray

to cool containers.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact

with skin and eyes.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details. Turn leaking containers leak-side up to prevent the escape of liquid.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for

disposal by an appropriate method.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Safe to use with common sense precautions

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in cool, well ventilated area. Keep container tightly closed

7.3. Specific end use(s)

Specific end use(s): No data available.

Section 8: Exposure controls/personal protection

8.1. Control parameters

Workplace exposure limits: No data available.

DNEL/PNEC Values

DNEL / PNEC No data available.

8.2. Exposure controls

Respiratory protection: Respiratory protection not required.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State: Liquid

Colour: Dark blue

Odour: Pleasant

Viscosity: Viscous

Boiling point/range°C: >35

pH: Approx. 7

Flash point°C: >93

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Conditions to avoid: Heat.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

Section 11: Toxicological information

11.1. Information on toxicological effects

Toxicity values: No data available.

Symptoms / routes of exposure

Skin contact: No symptoms.

Eye contact: There may be irritation and redness.

Ingestion: There may be irritation of the throat.

Inhalation: No symptoms.

Section 12: Ecological information

12.1. Toxicity

Ecotoxicity values: No data available.

12.2. Persistence and degradability

Persistence and degradability: Biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

12.4. Mobility in soil

Mobility: Readily absorbed into soil.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

Section 13: Disposal considerations

13.1. Waste treatment methods

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

Section 14: Transport information

Transport class: This product does not require a classification for transport.

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: EU Regulation (EC) No. 1907/2006 (REACH)

15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture

by the supplier.

Section 16: Other information

Other information

Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No

453/2010.

* indicates text in the SDS which has changed since the last revision.

Phrases used in s.2 and s.3: H226: Flammable liquid and vapour.

- H302: Harmful if swallowed.
- H314: Causes severe skin burns and eye damage.
- H315: Causes skin irritation.
- H318: Causes serious eye damage.
- H319: Causes serious eye irritation.
- H410: Very toxic to aquatic life with long lasting effects.

H412: Harmful to aquatic life with long lasting effects.

R10: Flammable.

R22: Harmful if swallowed.

R34: Causes burns.

R36/38: Irritating to eyes and skin.

R41: Risk of serious damage to eyes.

R50/53: Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

R50: Very toxic to aquatic organisms.

R52/53: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Legend to abbreviations: PNEC = predicted no effect level

DNEL = derived no effect level

LD50 = median lethal dose

LC50 = median lethal concentration

EC50 = median effective concentration

IC50 = median inhibitory concentration

dw = dry weight

bw = bodyweight

cc = closed cup

oc = open cup

- MUS = mouse
- GPG = guinea pig
- RBT = rabbit
- HAM = hamster
- HMN = human
- MAM = mammal
- PGN = pigeon
- IVN = intravenous
- SCU = subcutaneous
- SKN = skin
- DRM = dermal
- OCC = occular
- PCP = phycico-chemical properties

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.